


PEB 360° Solutions Black & White. Nothing Grey!




Is your PEB Paintworthy?

हर चमकने वाली वस्तु सोना नहीं होती।









Does your PEB vendor bother about surface finish?

Checklist for Surface Finish of a PEB Structure
Shot blasting by a proper machine to give SA 2.5. (SA - Swedish Standard)
Cleaning of surface with hot compressed air
Why is surface finish important for your PEB?
1. Mill scale, Dirt, Oil and Rust are integral part of any steel processed in the factory. This must be removed to ensure that paint is applied on the virgin surface of the virgin metal.
2. The surface develops crests and valleys to make the same rough in order to hold the paint strongly. The Swedish standard SA2.5 is recommended and widely
Caveat:
Never allow your PEB structure to be sandblasted as per Pollution norms of Govt of India. If PEB vendor is not even sandblasting, he is saving at least Rs 1000/Ton cost and minimizing the life of paint on the PEB structure and therefore the PEB structure as well.
It is recommended to avoid Red Oxide on the surface before painting to ensure that the full surface is coated with paint to the extent of 80 - 100 microns



Does your PEB vendor use the right quality of paint?

(Checklist for choice of right	
quality of paint 🗹		
Choose your paint according to the environment in which the PEB structure will exist.		
] Brands recommended : Asian Paints,	
	Berger, Nippon, Jotun.	
0	Berger, Nippon, Jotun. That is the problem with non standard	
lo D	Berger, Nippon, Jotun. hat is the problem with non standard cal paint brands?	
lo D	 Berger, Nippon, Jotun. That is the problem with non standard cal paint brands? Do not follow ISO 12944 standards. Volume solid is very low. Standard brands promise upto 63% Volume Solid. This increases the coverage of paint on the surface leading to a lesser cost per sq meter for 	
lo >	 Berger, Nippon, Jotun. That is the problem with non standard cal paint brands? Do not follow ISO 12944 standards. Volume solid is very low. Standard brands promise upto 63% Volume Solid. This increases the coverage of paint on the surface leading to a lesser cost per sq meter for standard brands. DFT per coat is more leading to less micron of paint 	



What micron of paint should you ask for on your PEB structure?

Checklist for micron of paint you must ask			
You must ask for 80 micron of paint.			
Paint must be DTM (Direct to Metal)			
Post painting a heat treatment oven must be there for curing the paint applied.			
Benifits of Direct To Metal			
* * *			
Reduces costs	Saves Time		
Rust & corrosion	Tolerant of diverse weather		
protection	conditions		

Contact Us

PEB 360 Solutions LLP, M-1, Saraf Court, Dhantoli, Nagpur - 440012

www.peb360.com getintouch@peb360.com

+919373107780, +919307489608

Follow us on: in O f